

DD / S R E G I S T R Y

FILE *Bldg & Grounds*

22 MAR 1973

Mr. Daniel J. Gaston  
Regional Director  
State Air Pollution Control Board  
Northern Virginia Office  
7115 Leesburg Pike, Room 104  
Falls Church, Virginia 22043

Dear Mr. Gaston:

Your letter to the Director of Central Intelligence dated 2 March 1973 relative to possible violations of the Virginia Regulations for the Control and Abatement of Air Pollution at the Agency's Langley complex has been referred to me for reply.

In reference to Rule 4.703.01, Emission Standards for Furnaces, this Agency has ceased normal operation of the incinerators located within the Langley complex. This Agency presently has an approved project underway through the General Services Administration (GSA) for the construction of a dry disintegration process designed to replace the incinerators. Until this project is completed, the incinerators will be retained for use only in the event of extreme emergency conditions requiring expeditious disposal of our classified waste.

Action on Rule 4.705.03, Control of Hydrocarbon Emissions from Stationary Sources, is being transferred to the GSA, as that organization provides routine maintenance and operation to the stationary boilers located at the Langley complex. A copy of our letter transferring the action to the GSA is enclosed for your information.

The foregoing constitutes an interim reply. Upon compilation by this Agency of specific data requested on our disintegration project, a complete response will be provided in the format requested.

Sincerely,

Signed: John F. Blake

John F. Blake  
Director of Logistics

Enclosure

cc: DD/S ✓

Executive Registry

Approved For Release 2003/04/29 : CIA-RDP84-00780R005100070017-3  
CENTRAL INTELLIGENCE AGENCY  
WASHINGTON, D.C. 20505

22 MAR 1973

Mr. John R. Province  
Acting Regional Commissioner  
Public Buildings Service, Region 3  
General Services Administration  
Washington, D. C. 20407

Dear Mr. Province:

This Agency recently received the enclosed letter of 2 March 1973 from the Commonwealth of Virginia, State Air Pollution Control Board, relative to possible violations at the Langley complex of the Virginia Regulations for the Control and Abatement of Air Pollution.

We have responded to the possible violation of Rule 4.703.01, Emission Standards for Furnaces. A copy of our response is also enclosed for your information.

Inasmuch as the General Services Administration provides routine maintenance and operation to the Langley complex, action on the possible violations of Rule 4.705.03, Control of Hydrocarbon Emissions from Stationary Sources, is hereby transferred to your office. The Commonwealth of Virginia has been so advised of this transfer of action.

Sincerely,

Signed: John F. Blake

John F. Blake  
Director of Logistics

Enclosures (2)

OL 3 1553

SENDER WILL CHECK CLASSIFICATION TOP AND BOTTOM			
UNCLASSIFIED		CONFIDENTIAL	
		SECRET	
<b>OFFICIAL ROUTING SLIP</b>			
TO	NAME AND ADDRESS	DATE	INITIALS
1	Deputy Director for Support	3/5/73	
2	<i>Director of Logistics</i>		
3			
4			
5			
6			
<input checked="" type="checkbox"/>	ACTION	<input checked="" type="checkbox"/> DIRECT REPLY	<input type="checkbox"/> PREPARE REPLY
	APPROVAL	<input type="checkbox"/> DISPATCH	<input type="checkbox"/> RECOMMENDATION
	COMMENT	<input type="checkbox"/> FILE	<input type="checkbox"/> RETURN
	CONCURRENCE	<input type="checkbox"/> INFORMATION	<input type="checkbox"/> SIGNATURE
<b>Remarks:</b>  <p style="text-align: center;">For appropriate action in responding to this request.</p> <hr/> <p><i>1 to 2: Support your request directly. Please send DD/S to copies of your letter.</i></p> <div style="border: 1px solid black; width: 150px; height: 20px; margin: 10px auto;"></div>			
FOLD HERE TO RETURN TO SENDER			
FROM: NAME, ADDRESS AND PHONE NO.			DATE
O/ES/CIA MC <span style="border: 1px solid black; display: inline-block; width: 50px; height: 15px;"></span> 7D59			7Mar73
UNCLASSIFIED		CONFIDENTIAL	SECRET

FORM NO. 1-67

237

Use previous editions

(40)

STAT

STAT

73-1132

DD/S 73-0885



EDGAR B. BOYNTON  
*Chairman*  
Richmond

PAUL E. WILKINS  
*Vice Chairman*  
Fairfax

WARREN L. BRAUN  
Harrisonburg

ROBERT B. DELANO  
Warsaw

FRANK E. KINZER  
Covington

**STATE AIR POLLUTION CONTROL BOARD  
NORTHERN VIRGINIA OFFICE**

7115 LEESBURG PIKE, ROOM 104  
FALLS CHURCH, VIRGINIA 22043  
TELEPHONE (703) 534-0067

March 2, 1973

Mr. James R. Schlesinger  
Director, Central Intelligence Agency  
Washington, D.C. 20505

Dear Mr. Schlesinger:

The Central Intelligence Agency installation at Langley, Virginia has not been registered as a point source for air pollution. However, there is evidence available to indicate that it may not be in compliance with Virginia Regulations for the Control and Abatement of Air Pollution.

It is our opinion that Rule 4.703.01, Emission Standards for Furnaces, and Rule 4.705.03, Control of Hydrocarbon Emissions from Stationary Sources, may be violated.

In the past, attempts to obtain information concerning emission data at the Langley complex has been unsuccessful. As a result, personnel of the Fairfax County Health Department and the State Air Pollution Control Board have been unable to compile an emission inventory or to estimate the adequacy of any control devices employed.

As you are aware, the Administrator, EPA, has issued directives to Federal agencies regarding the determinations of compliance for Federal facilities. The enclosed Schedule of Events lists the dates for achieving the goals specified by the Administrator.

Accordingly, it is necessary that a Control Program be established in order to bring emissions at the CIA installation into compliance. However, in the event that you can provide substantiating data to show that your operations comply with the Regulations, the requirement for a Control Program can be modified.

A Control Program is a definite commitment by an owner to take corrective action to bring his operation into compliance with one or more of our Rules and Regulations. In short, a Control Program must contain the following information:


UL 3 1374

Mr. James R. Schlesinger  
March 2, 1973

1. A definite commitment to bring the operation into compliance with the governing Rule.
2. A date when the contract will be awarded or the date by which equipment orders will be placed.
3. The date by which on-site construction will commence.
4. The date by which on-site construction will be complete.
5. The date by which final compliance will be achieved.
6. The plan must be submitted in sufficient detail to permit an engineering evaluation of its efficacy by the Board prior to approval. If the above six items are not included, the program will not be acceptable to the Board.

Our offices in Richmond and Falls Church are available to assist you in any way possible in the preparation of your detailed plans.

Sincerely,



Daniel J. Gaston  
Regional Director

SCHEDULE OF EVENTS

February 15, 1973

The States will make their first progress report to EPA and will forward to EPA their State acceptable compliance schedules on all facilities, including Federal facilities, not in compliance with applicable air quality standards and emission limitations.

March 31, 1973

Federal agencies submit their quarterly A-78 and A-81 reports to the Office of Management and Budget. These reports provide summary data on pollution abatement projects which have been funded or for which agencies have requested or will be requesting funds.

April 23, 1973

Although water permits will be the subject of a separate letter, and this schedule of events relates specifically to implementing the provisions of the Clean Air Act, it should be noted that all Federal facilities with water discharges covered by applicable standards or effluent limitations should have sent completed permit applications to EPA.

June 15, 1973

EPA should have completed action to approve or disapprove air source compliance schedules which were forwarded to EPA by the States. This action will include review of the schedules and publication of a summary report of approval in the Federal Register. For Federal facilities, it may be necessary to publish a more detailed schedule in the Federal Register for those facilities not covered by a State order or variance.

June 30, 1973

Federal agencies submit FY 1975 fiscal plans for pollution abatement (A-78 and A-81 forms) to the Office of Management and Budget.

August 15, 1973

EPA must promulgate compliance schedules for all air sources, including Federal sources not covered by approved State compliance schedules. Prior to this action, compliance schedules must be developed, public hearings held and reviews conducted to ensure that a promulgated schedule is not in violation of the State Air Implementation Plan.

October 1, 1973

EPA sends to OMB a consolidated analysis of agencies' A-78 and A-81 reports recommending pollution prevention and abatement projects on Federal facilities for inclusion in the fiscal year 1975 budget. EPA recommendations include an ordering of these projects in terms of their importance. The October 1, 1973, report should contain assurances that all Federal air and water sources in violation of applicable air and water quality standards or emission limitations are included. In addition, the report must assure OMB that all projects for which funding is being requested are covered by an approved air pollution control compliance schedule or by a water discharge permit.

SENDER WILL CHECK CLASSIFICATION TOP AND BOTTOM			
UNCLASSIFIED	CONFIDENTIAL	SECRET	
Approved For Release 2003/04/29 : CIA-RDP84-00780R005100070017-3			
OFFICIAL ROUTING SLIP			
TO:	NAME AND ADDRESS	DATE	INITIALS
1	DDS	3/12/73	
2	<i>Director of Logistics</i>		
3			
4			
5			
6			
ACTION		DIRECT REPLY	PREPARE REPLY
APPROVAL		DISPATCH	RECOMMENDATION
COMMENT		FILE	RETURN
CONCURRENCE		INFORMATION	SIGNATURE

Remarks:

A letter from Virginia State Air Pollution Control Board was forwarded to you on 7 March for appropriate action.

FOLD HERE		RETURN TO SENDER	
FROM: NAME, ADDRESS		PHONE NO.	DATE
O/ES/CIA MC		7D59	9Mar73
UNCLASSIFIED	CONFIDENTIAL	SECRET	

FORM NO. 1-67 237 Use previous editions

(40)

DD/S Distribution:

Orig RS - Adse, W/O of Regulations for the Control and Abatement of Air Pollution & Supplement one of same

☒ - DD/S Subject w/o cy of Regs but w/background (DD/S 73-0885)

DD/S 73-0885: Ltr dtd 2 Mar 73 to DCI fr Regional Director, State Air Pollution Control Board, Northern Virginia Office, subj: Compliance with Va Regs for Control and Abatement of Air Pollution

Approved For Release 2003/04/29 : CIA-RDP84-00780R005100070017-3



SENDER WILL CHECK CLASSIFICATION TOP AND BOTTOM			
UNCLASSIFIED		CONFIDENTIAL	SECRET
OFFICIAL ROUTING SLIP			
TO	NAME AND ADDRESS	DATE	INITIALS
1	Deputy Director for Support	3/8/73	
2	Director of Logistics		
3			
4			
5			
6			
<input checked="" type="checkbox"/>	ACTION	<input checked="" type="checkbox"/> DIRECT REPLY	<input type="checkbox"/> PREPARE REPLY
	APPROVAL	<input type="checkbox"/> DISPATCH	<input type="checkbox"/> RECOMMENDATION
	COMMENT	<input type="checkbox"/> FILE	<input type="checkbox"/> RETURN
	CONCURRENCE	<input type="checkbox"/> INFORMATION	<input type="checkbox"/> SIGNATURE
Remarks:			
For appropriate action in responding to this request.			
1 to 2: Suggest you respond directly. Please send DD/S the copies of your letter.			
FOLD HERE TO RETURN TO SENDER			
FROM: NAME, ADDRESS AND PHONE NO.			DATE
O/ES/CIA MC [redacted] 7D59			7Mar73
UNCLASSIFIED		CONFIDENTIAL	SECRET

FORM NO. 1-37 237 Use previous editions (40)

## DD/S Distribution:

Orig RS - Adse, w/O of Att (DD/S 73-0885)

1 - DD/S Subject, w/Xcy of Att


1 - DD/S Chrono, w/Xcy of Att

DD/S 73-0885: Ltr dtd 2 Mar 73 to DCI fr Regional Director, State Air Pollution Control Board. Northern Virginia Office, subj: Compliance with Va Regs for Control and Abatement of Air Pollution

SENDER WILL CHECK CLASSIFICATION TOP AND BOTTOM			
UNCLASSIFIED		CONFIDENTIAL	
<b>OFFICIAL ROUTING SLIP</b>			
TO	NAME AND ADDRESS	DATE	INITIALS
1	EA/Ex Sec		
2			
3			
4			
5			
6			
<input checked="" type="checkbox"/>	ACTION	<input type="checkbox"/> DIRECT REPLY	<input type="checkbox"/> PREPARE REPLY
<input type="checkbox"/>	APPROVAL	<input type="checkbox"/> DISPATCH	<input type="checkbox"/> RECOMMENDATION
<input type="checkbox"/>	COMMENT	<input type="checkbox"/> FILE	<input type="checkbox"/> RETURN
<input type="checkbox"/>	CONCURRENCE	<input type="checkbox"/> INFORMATION	<input type="checkbox"/> SIGNATURE
<b>Remarks:</b> <p style="font-size: 1.2em; margin-top: 10px;">For appropriate action. The Director has not seen.</p>			
FOLD HERE TO RETURN TO SENDER			
FROM: NAME, ADDRESS AND PHONE NO.			DATE
EA/DPSC			3/5
UNCLASSIFIED		CONFIDENTIAL	

Executive Reg  
73-113  
73-1132

# COMMONWEALTH OF VIRGINIA



DD/S 23-0885

EDGAR B. BOYNTON  
*Chairman*  
Richmond

PAUL E. WILKINS  
*Vice Chairman*  
Fairfax

WARREN L. BRAUN  
Harrisonburg

ROBERT B. DELANO  
Warsaw

FRANK E. KINZER  
Covington

## STATE AIR POLLUTION CONTROL BOARD NORTHERN VIRGINIA OFFICE

7115 LEESBURG PIKE, ROOM 104  
FALLS CHURCH, VIRGINIA 22043  
TELEPHONE (703) 534-0067

March 2, 1973

Mr. James R. Schlesinger  
Director, Central Intelligence Agency  
Washington, D.C. 20505

Dear Mr. Schlesinger:

The Central Intelligence Agency installation at Langley, Virginia has not been registered as a point source for air pollution. However, there is evidence available to indicate that it may not be in compliance with Virginia Regulations for the Control and Abatement of Air Pollution.

It is our opinion that Rule 4.703.01, Emission Standards for Furnaces, and Rule 4.705.03, Control of Hydrocarbon Emissions from Stationary Sources, may be violated.

In the past, attempts to obtain information concerning emission data at the Langley complex has been unsuccessful. As a result, personnel of the Fairfax County Health Department and the State Air Pollution Control Board have been unable to compile an emission inventory or to estimate the adequacy of any control devices employed.

As you are aware, the Administrator, EPA, has issued directives to Federal agencies regarding the determinations of compliance for Federal facilities. The enclosed Schedule of Events lists the dates for achieving the goals specified by the Administrator.

Accordingly, it is necessary that a Control Program be established in order to bring emissions at the CIA installation into compliance. However, in the event that you can provide substantiating data to show that your operations comply with the Regulations, the requirement for a Control Program can be modified.


A Control Program is a definite commitment by an owner to take corrective action to bring his operation into compliance with one or more of our Rules and Regulations. In short, a Control Program must contain the following information:

Mr. James R. Schlesinger  
March 2, 1973

1. A definite commitment to bring the operation into compliance with the governing Rule.
2. A date when the contract will be awarded or the date by which equipment orders will be placed.
3. The date by which on-site construction will commence.
4. The date by which on-site construction will be complete.
5. The date by which final compliance will be achieved.
6. The plan must be submitted in sufficient detail to permit an engineering evaluation of its efficacy by the Board prior to approval. If the above six items are not included, the program will not be acceptable to the Board.

Our offices in Richmond and Falls Church are available to assist you in any way possible in the preparation of your detailed plans.

Sincerely,



Daniel J. Gaston  
Regional Director

SCHEDULE OF EVENTS

February 15, 1973

The States will make their first progress report to EPA and will forward to EPA their State acceptable compliance schedules on all facilities, including Federal facilities, not in compliance with applicable air quality standards and emission limitations.

March 31, 1973

Federal agencies submit their quarterly A-78 and A-81 reports to the Office of Management and Budget. These reports provide summary data on pollution abatement projects which have been funded or for which agencies have requested or will be requesting funds.

April 23, 1973

Although water permits will be the subject of a separate letter, and this schedule of events relates specifically to implementing the provisions of the Clean Air Act, it should be noted that all Federal facilities with water discharges covered by applicable standards or effluent limitations should have sent completed permit applications to EPA.

June 15, 1973

EPA should have completed action to approve or disapprove air source compliance schedules which were forwarded to EPA by the States. This action will include review of the schedules and publication of a summary report of approval in the Federal Register. For Federal facilities, it may be necessary to publish a more detailed schedule in the Federal Register for those facilities not covered by a State order or variance.

June 30, 1973

Federal agencies submit FY 1975 fiscal plans for pollution abatement (A-78 and A-81 forms) to the Office of Management and Budget.

August 15, 1973

EPA must promulgate compliance schedules for all air sources, including Federal sources not covered by approved State compliance schedules. Prior to this action, compliance schedules must be developed, public hearings held and reviews conducted to ensure that a promulgated schedule is not in violation of the State Air Implementation Plan.

October 1, 1973.

EPA sends to OMB a consolidated analysis of agencies' A-78 and A-81 reports recommending pollution prevention and abatement projects on Federal facilities for inclusion in the fiscal year 1975 budget. EPA recommendations include an ordering of these projects in terms of their importance. The October 1, 1973, report should contain assurances that all Federal air and water sources in violation of applicable air and water quality standards or emission limitations are included. In addition, the report must assure OMB that all projects for which funding is being requested are covered by an approved air pollution control compliance schedule or by a water discharge permit.